## NexCAR19<sup>™</sup>



(Actalycabtagene autoleucel) solution for intravenous infusion

## A fighting chance to achieve remission

- NexCAR19 is a prescription drug for treating specific B-cell cancers (lymphomas and lymphoblastic leukemias) when other one or more other treatments have been unsuccessful.
- NexCAR19 is a CAR-T Cell Therapy. It involves your white blood cells by genetically modifying them outside your body, with the tools to identify and destroy your cancer cells





Around 70% of B-cell cancer patients with relapsed or refractory disease responded to treatment during clinical trials, with similar responses observed in both leukaemia and lymphoma patients.

**Disclaimer:** NexCAR19 is administered only at ImmunoACT's Partner Hospitals. To find one closest to you that will safely and properly administer the therapy, visit our website by scanning the QR code linked here.

This brochure is for representative purposes only. Treatment with NexCAR19 must be carried out only as per a licensed physician. Ask your haematologist or medical oncologist about NexCAR19 for the treatment of your B-cell leukaemia or lymphoma. To verify that your treatment is being conducted at an ImmunoACT Partner Hospital, ask for the official NexCAR19 Informed Consent Form.



# When Should You Consider NexCAR19?



## You were diagnosed with one of the following cancers:

- 1) B-cell Acute Lymphoblastic Leukaemia
- 2) High grade B-lymphomas
- 3) Low grade B-lymphomas





## One or more lines of treatment of these were administered:

- 1. Chemotherapy
- 2. Immunotherapy by monoclonal antibodies
- 3. Bone Marrow Transplant (using yours or a donor's bone marrow)


Despite these, your cancer returned or was not effectively treatable.

## There are other advanced treatments available, and NexCAR19 may be the one that works for you

- Certain cells in your body called T-cells, are naturally supposed to be fighting off cancers. Sometimes, they're just not well equipped to do that.
- NexCAR19 is an advanced treatment, called CAR-T cell therapy, which arms your T-cells with the exact weapons they need to target your cancer cells and destroy them.

## How does NexCAR19 work?





We use a specially designed & patented, completely safe shell of a virus - called a lentiviral vector - to genetically engineer your own T-cells, so that they will express Chimeric Antigen Receptors (CARs). These CARs are connectors that will target a specific protein called CD19 on your B-cell cancer. Now that they are trained, your T-cells will seek and destroy these cancer cells, using their inbuilt processes.

# How do you receive NexCAR19?





#### Prescription:

Based on your treatment record and disease burden, your doctor prescribes treatment with a CD19-directed CAR-T cell therapy.

#### Leukapheresis:

Your White Blood Cells (WBCs) are extracted by a machine, through a process called Leukapheresis.





#### Manufacturing:

ImmunoACT's scientists manufacture NexCAR19 specifically on the T-cells which have been selected from your white blood cells, at our state-of-the-art manufacturing facilities

#### Infusion:

NexCAR19 is manufactured specifically to an optimal dose for you, and is typically administered as a Single Intravenous Infusion. Prior to this, you would receive a chemotherapy regimen to prime your body for the therapy





#### Monitoring:

After your infusion with NexCAR19, you are monitored under hospitalization for ~10-12 days to manage any potential side effects. After discharge, we encourage you to have regular follow ups with your doctor to evaluate your progress



In clinical trials, NexCAR19 was found to be significantly safe with low toxicities. This is because it is uniquely Humanized, designed to be more familiar to your immune system. It is also one of the most cost-effective CAR-T cell therapies for r/r B-cell cancers.

# Important Safety Information



Unlike other CAR-T cell therapies, NexCAR19 is <u>Humanized</u> - designed specifically to <u>limit the severity of side</u> <u>effects</u> triggered by your immune system, aimed to minimalize hospitalization time after infusion. However, there are still side effects that are associated with the treatment and certain precautions we recommend:

#### Side Effects:

NexCAR19 may cause side effects that are severe and/or life-threatening. Call/visit your physician or get emergency help right away if you get any of the following:

- Fever (100.4°F/38°C or higher).
- · Difficulty breathing.
- Chills or shaking chills.
- · Confusion.
- · Dizziness or lightheadedness.
- Severe nausea, vomiting, or diarrhea.
- · Fast or irregular heartbeat.
- Severe fatigue or weakness.

It is important to inform your physician that you received NexCAR19. They might give you other medicines to treat your side effects.

#### Precautions:

Before receiving NexCAR19, inform your physician about any medical issues, including if you have or have had

- Neurologic problems (such as seizures, stroke, or memory loss).
- · Lung or breathing problems.
- Heart problems.
- Liver problems.
- Kidney problems.
- · A recent or active infection.

Inform your physician about all the medications you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Inform your physician if you are pregnant, planning to be pregnant, or breastfeeding. A pregnancy test may be then performed prior to your starting treatment. No information is available of NexCAR19 use in pregnant or breastfeeding women, hence, its use is not recommended in cases of pregnancy.

#### • Cytokine Release Syndrome

Cytokine release syndrome (CRS) may occur when your immune system becomes highly active. It is the most common and expected side effect of NexCAR19, as well as other CAR-T therapies. Symptoms range from fever or low blood pressure to irregular or rapid heartbeat. CRS may be associated with liver, kidney, and heart dysfunction and bleeding disorders. If CRS events occur, they are usually seen within 10 days of infusion. Your treatment team will check your progress after infusion. Members of your team are trained to recognize the symptoms of CRS and have specific medicines to treat it.

#### Neurological Events

NexCAR19 may also have effects on the central nervous system, making you feel confused, agitated, dizzy, or disoriented. More severe symptoms might affect your speech or consciousness or cause seizures. Be sure to tell your treatment team right away if you experience any neurological symptoms.

#### HLH/Hemophagocytic lymphocytosis

Upon administration of NexCAR19, HLH may occur due to excessive activation of the immune system, this can present with fever and low blood counts. It is diagnosed based on certain specific blood tests. This is treated with supportive medicines to suppress inflammation by your treating oncologist.

#### · Prolonged Low Blood Cell Counts (Cytopenia)

NexCAR19 may cause a condition called cytopenia. This is when you have low levels of 1 or more types of blood cells. Your treatment team will do blood tests to check all your blood cell counts after treatment with NexCAR19. Cytopenia that lasts a long time (prolonged) may increase your risk of infection. Cytopenia will be monitored, and your treatment team is prepared to manage it. Tell your doctor right away if you get a fever, are feeling tired, or have bruising or bleeding.

#### Other cautionary measures post-treatment with NexCAR19:

Do not drive, operate heavy machinery, or participate in any physically intensive activity for approximately 8 weeks after you
get NexCAR19, as the treatment can affect short term motor coordination, inducing sleepiness, confusion, weakness, dizziness,
and seizures.

Other Partners

Do not donate blood, organs, tissues, sperm, oocytes, and other cells without consulting your physician.

# R&D Partner



Clinical Partner



Reach out to your haematologist/ medical oncologist regarding treatment with NexCAR19. To find the nearest Partner Hospital for administration of NexCAR19, please email us at commercial.operations@immunoact.com